

NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	27985		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28005		100.07 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	21468		79.31 %
ABR	408		1.51 %
DISTORTION PRODUCT	5167		19.09 %
TEOAE	4		0.01 %
BILATERALLY COMPLETED REPORTS	27047		96.58 %
PASSED	25930		95.80 %
BILATERAL FAIL	329		1.22 %
FAILED IN LEFT EAR ONLY	437		1.61 %
FAILED IN RIGHT EAR ONLY	351		1.30 %
INCOMPLETE SCREEN REPORTS	862		3.08 %
EQUIPMENT FAILURE	53		6.15 %
NEWBORN DISCHARGED	40		4.64 %
NICU HEARING PENDING	331		38.40 %
REFUSED	158		18.33 %
RESTLESSNESS	5		0.58 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	185		21.46 %
DECEASED	57		6.61 %
OTHER	33		3.83 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1959		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1574)	80.35 %
MISSING CASES	-20		-0.07 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	329	(246)	74.77 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	788	(643)	81.60 %
INCOMPLETE CASES (RESULTS RECEIVED)	862	(685)	79.47 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	376	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	376	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	375	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	375	99.73 %
PASSED	320	85.33 %
BILATERAL FAIL	27	7.20 %
FAILED IN LEFT EAR ONLY	13	3.47 %
FAILED IN RIGHT EAR ONLY	15	4.00 %
INCOMPLETE SCREEN REPORTS	1	0.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	56	
TOTAL FOLLOW UP RESULTS RECEIVED **	(47)	83.93 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	27	(22) 81.48 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	28	(24) 85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	31	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	31	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		54.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	16	94.12 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	5.88 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	17	54.84 %
PASSED	15	88.24 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	11.76 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	14	45.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	4	28.57 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	10	71.43 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	31.25 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(4)	28.57 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	98	98.99 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.04 %
ABR	1	1.02 %
DISTORTION PRODUCT	95	96.94 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	98	100.00 %
PASSED	96	97.96 %
BILATERAL FAIL	1	1.02 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.02 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		1.01 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	39	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	39	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	38	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	38	97.44 %
PASSED	36	94.74 %
BILATERAL FAIL	1	2.63 %
FAILED IN LEFT EAR ONLY	1	2.63 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	2.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Grandview Hospital -OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	23	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	21	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	91.30 %
PASSED	21	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	8.70 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	1	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT OF GROSSE POINTE HOSPITAL, GROSSE POINTE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	142		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	142	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	142	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	142	100.00 %	
PASSED	138	97.18 %	
BILATERAL FAIL	2	1.41 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	2	1.41 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	25.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BELL MEMORIAL HOSPITAL, ISHPEMING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	61	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	61	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	61	100.00 %
PASSED	58	95.08 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	3.28 %
FAILED IN RIGHT EAR ONLY	1	1.64 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOBIER, PATRICE, HESPERIA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOLZMAN, SANDRA, MILLINGTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	345	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	343	99.42 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	38	11.21 %
ABR	10	2.95 %
DISTORTION PRODUCT	291	85.84 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	339	98.83 %
PASSED	312	92.04 %
BILATERAL FAIL	8	2.36 %
FAILED IN LEFT EAR ONLY	11	3.24 %
FAILED IN RIGHT EAR ONLY	8	2.36 %
INCOMPLETE SCREEN REPORTS	4	1.17 %
EQUIPMENT FAILURE	2	50.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	33	
TOTAL FOLLOW UP RESULTS RECEIVED **	(26)	78.79 %
MISSING CASES	2	0.58 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8 (7)	87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19 (17)	89.47 %
INCOMPLETE CASES (RESULTS RECEIVED)	4 (2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	189	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	189	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	10	5.41 %
ABR	12	6.49 %
DISTORTION PRODUCT	163	88.11 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	185	97.88 %
PASSED	174	94.05 %
BILATERAL FAIL	6	3.24 %
FAILED IN LEFT EAR ONLY	3	1.62 %
FAILED IN RIGHT EAR ONLY	2	1.08 %
INCOMPLETE SCREEN REPORTS	4	2.12 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 86.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRENNEMAN, SARAH, MORLEY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	66.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	229	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	229	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.32 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	169	78.24 %
ABR	47	21.76 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	216	94.32 %
PASSED	206	95.37 %
BILATERAL FAIL	3	1.39 %
FAILED IN LEFT EAR ONLY	2	0.93 %
FAILED IN RIGHT EAR ONLY	5	2.31 %
INCOMPLETE SCREEN REPORTS	13	5.68 %
EQUIPMENT FAILURE	6	46.15 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	15.38 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	30.77 %
DECEASED	1	7.69 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23	
TOTAL FOLLOW UP RESULTS RECEIVED **		(18) 78.26 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5) 71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(11) 84.62 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	794	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	794	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	791	99.87 %
ABR	1	0.13 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	792	99.75 %
PASSED	761	96.09 %
BILATERAL FAIL	8	1.01 %
FAILED IN LEFT EAR ONLY	15	1.89 %
FAILED IN RIGHT EAR ONLY	8	1.01 %
INCOMPLETE SCREEN REPORTS	2	0.25 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	33		
TOTAL FOLLOW UP RESULTS RECEIVED **		(29)	87.88 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	23	(21)	91.30 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	106	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		33.02 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	35	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	35	33.02 %
PASSED	34	97.14 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.86 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	71	66.98 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	65	91.55 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	4.23 %
DECEASED	3	4.23 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	72		
TOTAL FOLLOW UP RESULTS RECEIVED **		(62)	86.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	71	(61)	85.92 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BURGESS , KATHLEEN, BEAVERTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Byler, Fanny, Six Lakes

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sonus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	78	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	78	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	77	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	98.72 %
PASSED	68	88.31 %
BILATERAL FAIL	1	1.30 %
FAILED IN LEFT EAR ONLY	3	3.90 %
FAILED IN RIGHT EAR ONLY	5	6.49 %
INCOMPLETE SCREEN REPORTS	1	1.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sonus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	70.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	39	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	39	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.18 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	2.94 %
ABR	0	0.00 %
DISTORTION PRODUCT	33	97.06 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	34	87.18 %
PASSED	21	61.76 %
BILATERAL FAIL	5	14.71 %
FAILED IN LEFT EAR ONLY	3	8.82 %
FAILED IN RIGHT EAR ONLY	5	14.71 %
INCOMPLETE SCREEN REPORTS	5	12.82 %
EQUIPMENT FAILURE	5	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18	
TOTAL FOLLOW UP RESULTS RECEIVED **		(15) 83.33 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3) 60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,
COLDWATER

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	90	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	90	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	76	88.37 %
ABR	10	11.63 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	86	95.56 %
PASSED	83	96.51 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.49 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	4.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	1	25.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	626	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	626	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	621	99.84 %
ABR	1	0.16 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	622	99.36 %
PASSED	600	96.46 %
BILATERAL FAIL	4	0.64 %
FAILED IN LEFT EAR ONLY	6	0.96 %
FAILED IN RIGHT EAR ONLY	12	1.93 %
INCOMPLETE SCREEN REPORTS	4	0.64 %
EQUIPMENT FAILURE	2	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	88.46 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	18	(16)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	124	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	124	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	117	99.15 %
ABR	1	0.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	118	95.16 %
PASSED	117	99.15 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.85 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	4.84 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	33.33 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	2	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5)	83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	315	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	315	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	308	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	308	97.78 %
PASSED	302	98.05 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	1.30 %
FAILED IN RIGHT EAR ONLY	2	0.65 %
INCOMPLETE SCREEN REPORTS	7	2.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	46.15 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(1)	16.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DENOMME, EILEEN, MT CLEMENS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	118	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	118	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	115	97.46 %
PASSED	115	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	2.54 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DOWD , CATHY, MIDLAND

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	12	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	12	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	125.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(15)	125.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR DRAGUN, KRISTA, Milan

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	13	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	11	84.62 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		7.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	9.09 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	100.00 %
INCOMPLETE SCREEN REPORTS	10	90.91 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	6	60.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	4	40.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Grandview Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	53.85 %
MISSING CASES	2		15.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(7)	70.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	158	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	156	98.73 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	149	99.33 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	149	95.51 %
PASSED	142	94.67 %
BILATERAL FAIL	1	0.67 %
FAILED IN LEFT EAR ONLY	3	2.00 %
FAILED IN RIGHT EAR ONLY	3	2.00 %
INCOMPLETE SCREEN REPORTS	7	4.49 %
EQUIPMENT FAILURE	1	14.29 %
NEWBORN DISCHARGED	4	57.14 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	28.57 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Garden City Hosp. - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	81.25 %
MISSING CASES	2		1.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	514	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	513	99.81 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.64 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	507	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	507	98.83 %
PASSED	497	98.03 %
BILATERAL FAIL	2	0.39 %
FAILED IN LEFT EAR ONLY	6	1.18 %
FAILED IN RIGHT EAR ONLY	2	0.39 %
INCOMPLETE SCREEN REPORTS	6	1.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Comprehensive Hearing Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	64.71 %
MISSING CASES	1		0.19 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5)	83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GINGERICH, MARTHA, MANTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HAYDEN, TAMI, CORAL

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	66.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		11.11 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	16.67 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	83.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	62.50 %
MISSING CASES	3		33.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	9	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	9	100.00 %
PASSED	9	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Macomb ISD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	481	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	481	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	474	98.54 %
ABR	7	1.46 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	481	100.00 %
PASSED	442	91.89 %
BILATERAL FAIL	10	2.08 %
FAILED IN LEFT EAR ONLY	13	2.70 %
FAILED IN RIGHT EAR ONLY	16	3.33 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Hospital -Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	64.10 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7)	70.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(18)	62.07 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	165	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	164	99.39 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	101	67.79 %
ABR	47	31.54 %
DISTORTION PRODUCT	1	0.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	149	90.85 %
PASSED	137	91.95 %
BILATERAL FAIL	4	2.68 %
FAILED IN LEFT EAR ONLY	6	4.03 %
FAILED IN RIGHT EAR ONLY	2	1.34 %
INCOMPLETE SCREEN REPORTS	15	9.15 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	53.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	20.00 %
DECEASED	4	26.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	57.14 %
MISSING CASES	1		0.61 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(7)	46.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	431	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	429	99.54 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	364	85.05 %
ABR	64	14.95 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	428	99.77 %
PASSED	419	97.90 %
BILATERAL FAIL	1	0.23 %
FAILED IN LEFT EAR ONLY	7	1.64 %
FAILED IN RIGHT EAR ONLY	1	0.23 %
INCOMPLETE SCREEN REPORTS	1	0.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	66.67 %
MISSING CASES	2	0.46 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	514		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	510		99.22 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.25 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	488		96.63 %
ABR	14		2.77 %
DISTORTION PRODUCT	3		0.59 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	505		99.02 %
PASSED	487		96.44 %
BILATERAL FAIL	5		0.99 %
FAILED IN LEFT EAR ONLY	10		1.98 %
FAILED IN RIGHT EAR ONLY	3		0.59 %
INCOMPLETE SCREEN REPORTS	5		0.98 %
EQUIPMENT FAILURE	1		20.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		20.00 %
REFUSED	1		20.00 %
RESTLESSNESS	2		40.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	77.78 %
MISSING CASES	4		0.78 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(11)	84.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	372	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	372	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	368	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	368	98.92 %
PASSED	343	93.21 %
BILATERAL FAIL	5	1.36 %
FAILED IN LEFT EAR ONLY	13	3.53 %
FAILED IN RIGHT EAR ONLY	7	1.90 %
INCOMPLETE SCREEN REPORTS	4	1.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hug Center for Hearing</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29	
TOTAL FOLLOW UP RESULTS RECEIVED **	(17)	58.62 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2) 40.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	20	(12) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3) 75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	9	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	9	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(9)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	77	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.63 %
ABR	0	0.00 %
DISTORTION PRODUCT	74	97.37 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	76	98.70 %
PASSED	63	82.89 %
BILATERAL FAIL	3	3.95 %
FAILED IN LEFT EAR ONLY	5	6.58 %
FAILED IN RIGHT EAR ONLY	5	6.58 %
INCOMPLETE SCREEN REPORTS	1	1.30 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hillsdale Comm. Hosp. - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	446	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	446	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	445	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	445	99.78 %
PASSED	438	98.43 %
BILATERAL FAIL	2	0.45 %
FAILED IN LEFT EAR ONLY	4	0.90 %
FAILED IN RIGHT EAR ONLY	1	0.22 %
INCOMPLETE SCREEN REPORTS	1	0.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holland Ob	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	87.50 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL - SCN, HOLLAND

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	703	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	699	99.43 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	662	96.22 %
ABR	0	0.00 %
DISTORTION PRODUCT	26	3.78 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	688	98.43 %
PASSED	677	98.40 %
BILATERAL FAIL	6	0.87 %
FAILED IN LEFT EAR ONLY	2	0.29 %
FAILED IN RIGHT EAR ONLY	3	0.44 %
INCOMPLETE SCREEN REPORTS	11	1.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	9.09 %
NICU HEARING PENDING	1	9.09 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	27.27 %
DECEASED	6	54.55 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Children's HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	57.69 %
MISSING CASES	4		0.57 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(2)	33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(8)	72.73 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	121	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	121	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.52 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	118	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	118	97.52 %
PASSED	118	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	2.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	19	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	19	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.47 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	17.65 %
ABR	11	64.71 %
DISTORTION PRODUCT	3	17.65 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	17	89.47 %
PASSED	17	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	10.53 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	305		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	305	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	79	25.90 %	
ABR	94	30.82 %	
DISTORTION PRODUCT	129	42.30 %	
TEOAE	3	0.98 %	
BILATERALLY COMPLETED REPORTS	305	100.00 %	
PASSED	285	93.44 %	
BILATERAL FAIL	7	2.30 %	
FAILED IN LEFT EAR ONLY	5	1.64 %	
FAILED IN RIGHT EAR ONLY	8	2.62 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(10)	76.92 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	800		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	800	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.50 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	55	6.91 %	
ABR	4	0.50 %	
DISTORTION PRODUCT	737	92.59 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	796	99.50 %	
PASSED	776	97.49 %	
BILATERAL FAIL	11	1.38 %	
FAILED IN LEFT EAR ONLY	4	0.50 %	
FAILED IN RIGHT EAR ONLY	5	0.63 %	
INCOMPLETE SCREEN REPORTS	4	0.50 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	3	75.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	25.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(5)	45.45 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(5)	55.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(2)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	99	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.98 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	60.82 %
ABR	9	9.28 %
DISTORTION PRODUCT	29	29.90 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	97	97.98 %
PASSED	94	96.91 %
BILATERAL FAIL	1	1.03 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	2.06 %
INCOMPLETE SCREEN REPORTS	2	2.02 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	165	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	165	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		84.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	96	68.57 %
ABR	6	4.29 %
DISTORTION PRODUCT	37	26.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	139	84.24 %
PASSED	137	97.86 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.43 %
INCOMPLETE SCREEN REPORTS	26	15.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	10	38.46 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	12	46.15 %
DECEASED	4	15.38 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	64.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	26	(18)	69.23 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR JOHNSON, LINDA, TEMPERANCE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	66.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, HOWE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KNOWLES, BRENDA, BUCKLEY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	280		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	280	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.79 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	23	8.49 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	248	91.51 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	271	96.79 %	
PASSED	257	94.83 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	6	2.21 %	
FAILED IN RIGHT EAR ONLY	8	2.95 %	
INCOMPLETE SCREEN REPORTS	9	3.21 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	1	11.11 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	8	88.89 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lake Michigan Hearing Center & Sinus & Sleep Apnea		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	73.91 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(10)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(7)	77.78 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	151	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	151	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	10.14 %
ABR	0	0.00 %
DISTORTION PRODUCT	133	89.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	148	98.01 %
PASSED	145	97.97 %
BILATERAL FAIL	1	0.68 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.35 %
INCOMPLETE SCREEN REPORTS	3	1.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL

TOTAL INITIAL CASES NEEDING FOLLOW UP *	6	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 83.33 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL, MARQUETTE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	170	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	170	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	166	98.81 %
ABR	2	1.19 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	168	98.82 %
PASSED	165	98.21 %
BILATERAL FAIL	1	0.60 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.19 %
INCOMPLETE SCREEN REPORTS	2	1.18 %
EQUIPMENT FAILURE	1	50.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette-OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL-NICU, MARQUETTE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	32	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	29	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	29	90.63 %
PASSED	28	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.45 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	9.38 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCCURDY, SANDRA, EAST LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	204	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	203	99.51 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	198	99.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	1.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	200	98.52 %
PASSED	195	97.50 %
BILATERAL FAIL	1	0.50 %
FAILED IN LEFT EAR ONLY	3	1.50 %
FAILED IN RIGHT EAR ONLY	1	0.50 %
INCOMPLETE SCREEN REPORTS	3	1.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	88.89 %
MISSING CASES	1	0.49 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICH. COMMUNITY HOSPITAL, MT.

PLEASANT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	130	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	129	99.23 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	126	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	126	97.67 %
PASSED	123	97.62 %
BILATERAL FAIL	1	0.79 %
FAILED IN LEFT EAR ONLY	1	0.79 %
FAILED IN RIGHT EAR ONLY	1	0.79 %
INCOMPLETE SCREEN REPORTS	3	2.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 71.43 %
MISSING CASES	1	0.77 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	294		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	293		99.66 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.64 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	290		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	290		98.98 %
PASSED	284		97.93 %
BILATERAL FAIL	3		1.03 %
FAILED IN LEFT EAR ONLY	2		0.69 %
FAILED IN RIGHT EAR ONLY	1		0.34 %
INCOMPLETE SCREEN REPORTS	3		1.02 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		33.33 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		33.33 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		33.33 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	50.00 %
MISSING CASES	1		0.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	110	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	110	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.18 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	108	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	108	98.18 %
PASSED	103	95.37 %
BILATERAL FAIL	1	0.93 %
FAILED IN LEFT EAR ONLY	4	3.70 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	1.82 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lapeer Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	214	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	214	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	211	99.06 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	0.94 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	213	99.53 %
PASSED	207	97.18 %
BILATERAL FAIL	4	1.88 %
FAILED IN LEFT EAR ONLY	1	0.47 %
FAILED IN RIGHT EAR ONLY	1	0.47 %
INCOMPLETE SCREEN REPORTS	1	0.47 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 57.14 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	177	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	177	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	4.14 %
ABR	0	0.00 %
DISTORTION PRODUCT	162	95.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	169	95.48 %
PASSED	153	90.53 %
BILATERAL FAIL	5	2.96 %
FAILED IN LEFT EAR ONLY	7	4.14 %
FAILED IN RIGHT EAR ONLY	4	2.37 %
INCOMPLETE SCREEN REPORTS	8	4.52 %
EQUIPMENT FAILURE	4	50.00 %
NEWBORN DISCHARGED	3	37.50 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	79.17 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8)	72.73 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(7)	87.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MED CTR SCN, FLINT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	7	100.00 %
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CENTER, FLINT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	115	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	113	98.26 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.26 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	113	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	113	100.00 %
PASSED	106	93.81 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	7	6.19 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	McLaren Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	44.44 %
MISSING CASES	2		1.74 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(4)	57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CTR NICU, FLINT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mclaren Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	109	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	107	98.17 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	53	51.46 %
ABR	1	0.97 %
DISTORTION PRODUCT	49	47.57 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	103	96.26 %
PASSED	94	91.26 %
BILATERAL FAIL	6	5.83 %
FAILED IN LEFT EAR ONLY	2	1.94 %
FAILED IN RIGHT EAR ONLY	1	0.97 %
INCOMPLETE SCREEN REPORTS	4	3.74 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial Healthcare Ctr - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **	(11)	73.33 %
MISSING CASES	2	1.83 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HOSPITAL OF MASON COUNTY, LUDINGTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	71	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	71	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	71	100.00 %
PASSED	70	98.59 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.41 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	507	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	502	99.01 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	54	10.84 %
ABR	13	2.61 %
DISTORTION PRODUCT	431	86.55 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	498	99.20 %
PASSED	474	95.18 %
BILATERAL FAIL	7	1.41 %
FAILED IN LEFT EAR ONLY	9	1.81 %
FAILED IN RIGHT EAR ONLY	8	1.61 %
INCOMPLETE SCREEN REPORTS	4	0.80 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	50.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Health Partners - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	33		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	66.67 %
MISSING CASES	5		0.99 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(14)	82.35 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1)	25.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SERVICES NORTH-CADILLAC, CADILLAC

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	87	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	87	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.70 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	83	97.65 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	2.35 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	97.70 %
PASSED	82	96.47 %
BILATERAL FAIL	1	1.18 %
FAILED IN LEFT EAR ONLY	2	2.35 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.30 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	1	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Aud. Services Cadillac	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	72	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	72	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.86 %
ABR	0	0.00 %
DISTORTION PRODUCT	68	97.14 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	70	97.22 %
PASSED	55	78.57 %
BILATERAL FAIL	7	10.00 %
FAILED IN LEFT EAR ONLY	3	4.29 %
FAILED IN RIGHT EAR ONLY	5	7.14 %
INCOMPLETE SCREEN REPORTS	2	2.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	70.59 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MERCY MEMORIAL HOSPITAL CORP - MONROE, MONROE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	198	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	197	99.49 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	165	92.70 %
ABR	1	0.56 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	166	84.26 %
PASSED	150	84.27 %
BILATERAL FAIL	6	3.37 %
FAILED IN LEFT EAR ONLY	6	3.37 %
FAILED IN RIGHT EAR ONLY	4	2.25 %
INCOMPLETE SCREEN REPORTS	31	15.74 %
EQUIPMENT FAILURE	23	74.19 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	25.81 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Monroe ENT	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	48	
TOTAL FOLLOW UP RESULTS RECEIVED **		(38) 79.17 %
MISSING CASES	1	0.51 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(8) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	31	(25) 80.65 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	505	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	504	99.80 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.80 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	504	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	504	100.00 %
PASSED	497	98.61 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	0.79 %
FAILED IN RIGHT EAR ONLY	3	0.60 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	87.50 %
MISSING CASES	1		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID MICHIGAN MEDICAL CENTER GRATIOT , ALMA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	134		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	134	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	134	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	134	100.00 %	
PASSED	134	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER-MIDLAND, MIDLAND

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	290	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	290	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.93 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	279	98.24 %
ABR	0	0.00 %
DISTORTION PRODUCT	5	1.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	284	97.93 %
PASSED	278	97.89 %
BILATERAL FAIL	3	1.06 %
FAILED IN LEFT EAR ONLY	2	0.70 %
FAILED IN RIGHT EAR ONLY	1	0.35 %
INCOMPLETE SCREEN REPORTS	6	2.07 %
EQUIPMENT FAILURE	2	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5) 83.33 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	259	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	257	99.23 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.91 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	241	96.02 %
ABR	9	3.59 %
DISTORTION PRODUCT	1	0.40 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	251	97.67 %
PASSED	234	93.23 %
BILATERAL FAIL	5	1.99 %
FAILED IN LEFT EAR ONLY	5	1.99 %
FAILED IN RIGHT EAR ONLY	7	2.79 %
INCOMPLETE SCREEN REPORTS	6	2.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	33.33 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	50.00 %
RESTLESSNESS	1	16.67 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25	
TOTAL FOLLOW UP RESULTS RECEIVED **		(21) 84.00 %
MISSING CASES	2	0.77 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	12	(10) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(7) 116.67 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	204	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	204	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.55 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	191	95.98 %
ABR	6	3.02 %
DISTORTION PRODUCT	2	1.01 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	199	97.55 %
PASSED	189	94.97 %
BILATERAL FAIL	4	2.01 %
FAILED IN LEFT EAR ONLY	2	1.01 %
FAILED IN RIGHT EAR ONLY	4	2.01 %
INCOMPLETE SCREEN REPORTS	5	2.45 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	60.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NO HOSPITAL,

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	96	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	100.00 %
PASSED	96	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	196	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	195	99.49 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.94 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	190	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	190	97.44 %
PASSED	189	99.47 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.53 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	2.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown Hearing Centers		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	1		0.51 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD ANNAPOLIS HOSPITAL, WAYNE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	227	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	226	99.56 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	224	99.12 %
ABR	2	0.88 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	226	100.00 %
PASSED	220	97.35 %
BILATERAL FAIL	1	0.44 %
FAILED IN LEFT EAR ONLY	2	0.88 %
FAILED IN RIGHT EAR ONLY	3	1.33 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	42.86 %
MISSING CASES	1		0.44 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL, DEARBORN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	985	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	983	99.80 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	976	99.59 %
ABR	0	0.00 %
DISTORTION PRODUCT	4	0.41 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	980	99.69 %
PASSED	944	96.33 %
BILATERAL FAIL	12	1.22 %
FAILED IN LEFT EAR ONLY	16	1.63 %
FAILED IN RIGHT EAR ONLY	8	0.82 %
INCOMPLETE SCREEN REPORTS	3	0.31 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	41		
TOTAL FOLLOW UP RESULTS RECEIVED **		(30)	73.17 %
MISSING CASES	2		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(7)	58.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(20)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	70	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	69	98.57 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.71 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	67	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	67	97.10 %
PASSED	62	92.54 %
BILATERAL FAIL	1	1.49 %
FAILED IN LEFT EAR ONLY	3	4.48 %
FAILED IN RIGHT EAR ONLY	1	1.49 %
INCOMPLETE SCREEN REPORTS	2	2.90 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	62.50 %
MISSING CASES	1		1.43 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	100.00 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE MEDICAL CENTER, TRENTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	173	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	171	98.84 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.95 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	166	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	166	97.08 %
PASSED	157	94.58 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	2.41 %
FAILED IN RIGHT EAR ONLY	5	3.01 %
INCOMPLETE SCREEN REPORTS	5	2.92 %
EQUIPMENT FAILURE	1	20.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	56.25 %
MISSING CASES	2		1.16 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(5)	55.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	56	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	56	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	53	98.15 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.85 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	54	96.43 %
PASSED	53	98.15 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.85 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	3.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Otsego Memorial Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PARKER, GOLDIE, SHELBY TWP

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PAWSON, SHANNON, ROCKFORD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	79	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	78	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	78	98.73 %
PASSED	72	92.31 %
BILATERAL FAIL	2	2.56 %
FAILED IN LEFT EAR ONLY	3	3.85 %
FAILED IN RIGHT EAR ONLY	1	1.28 %
INCOMPLETE SCREEN REPORTS	1	1.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pennock Hospital - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, CLARKSTON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	0	0.00 %
OTHER	2	33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	MOSA Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(3)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PORT HURON HOSPITAL, PORT HURON

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	286	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	286	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	285	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	285	99.65 %
PASSED	265	92.98 %
BILATERAL FAIL	5	1.75 %
FAILED IN LEFT EAR ONLY	12	4.21 %
FAILED IN RIGHT EAR ONLY	3	1.05 %
INCOMPLETE SCREEN REPORTS	1	0.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Port Huron Hospital - FBP		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	80.95 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(13)	86.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PORTAGE HEALTH SYSTEM LAB, HANCOCK

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		84.21 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	64	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	64	84.21 %
PASSED	59	92.19 %
BILATERAL FAIL	2	3.13 %
FAILED IN LEFT EAR ONLY	1	1.56 %
FAILED IN RIGHT EAR ONLY	2	3.13 %
INCOMPLETE SCREEN REPORTS	12	15.79 %
EQUIPMENT FAILURE	3	25.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	9	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **	(17)	100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(12) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR Post, Audra, Okemos

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1	
TOTAL FOLLOW UP RESULTS RECEIVED **	(1)	100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	85.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		14.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	16.67 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	83.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	4	80.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	33.33 %
MISSING CASES	1		14.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2)	40.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	186		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	185		99.46 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.92 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	174		94.57 %
ABR	6		3.26 %
DISTORTION PRODUCT	4		2.17 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	184		99.46 %
PASSED	172		93.48 %
BILATERAL FAIL	3		1.63 %
FAILED IN LEFT EAR ONLY	6		3.26 %
FAILED IN RIGHT EAR ONLY	3		1.63 %
INCOMPLETE SCREEN REPORTS	1		0.54 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lenawee County Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	78.57 %
MISSING CASES	1		0.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(9)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	454	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	449	98.90 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.36 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	76	17.19 %
ABR	0	0.00 %
DISTORTION PRODUCT	366	82.81 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	442	98.44 %
PASSED	429	97.06 %
BILATERAL FAIL	6	1.36 %
FAILED IN LEFT EAR ONLY	4	0.90 %
FAILED IN RIGHT EAR ONLY	3	0.68 %
INCOMPLETE SCREEN REPORTS	7	1.56 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	14.29 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	14.29 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	28.57 %
DECEASED	3	42.86 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25	
TOTAL FOLLOW UP RESULTS RECEIVED **	(14)	56.00 %
MISSING CASES	5	1.10 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5) 71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5) 71.43 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	570		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	569		99.82 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.95 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	37		6.56 %
ABR	0		0.00 %
DISTORTION PRODUCT	527		93.44 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	564		99.12 %
PASSED	532		94.33 %
BILATERAL FAIL	12		2.13 %
FAILED IN LEFT EAR ONLY	10		1.77 %
FAILED IN RIGHT EAR ONLY	10		1.77 %
INCOMPLETE SCREEN REPORTS	5		0.88 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	2		40.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		20.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		40.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	86.84 %
MISSING CASES	1		0.18 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(11)	91.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	20	(19)	95.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, RON & SUE, JONESVILLE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	357		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	349		97.76 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.76 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	315		96.92 %
ABR	0		0.00 %
DISTORTION PRODUCT	9		2.77 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	324		92.84 %
PASSED	306		94.15 %
BILATERAL FAIL	5		1.54 %
FAILED IN LEFT EAR ONLY	7		2.15 %
FAILED IN RIGHT EAR ONLY	6		1.85 %
INCOMPLETE SCREEN REPORTS	25		7.16 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	6		24.00 %
NICU HEARING PENDING	16		64.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		8.00 %
DECEASED	1		4.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(30)	58.82 %
MISSING CASES	8		2.24 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(10)	76.92 %
INCOMPLETE CASES (RESULTS RECEIVED)	25	(18)	72.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing First Inc.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	128.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(9)	128.57 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SOUTH HAVEN HEALTH SYSTEM, SOUTH HAVEN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.51 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	16	18.82 %
ABR	0	0.00 %
DISTORTION PRODUCT	69	81.18 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	95.51 %
PASSED	80	94.12 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.18 %
FAILED IN RIGHT EAR ONLY	4	4.71 %
INCOMPLETE SCREEN REPORTS	4	4.49 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	South Haven-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	947	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	947	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	150	15.87 %
ABR	2	0.21 %
DISTORTION PRODUCT	793	83.92 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	945	99.79 %
PASSED	887	93.86 %
BILATERAL FAIL	21	2.22 %
FAILED IN LEFT EAR ONLY	22	2.33 %
FAILED IN RIGHT EAR ONLY	15	1.59 %
INCOMPLETE SCREEN REPORTS	2	0.21 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	60		
TOTAL FOLLOW UP RESULTS RECEIVED **		(54)	90.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	21	(20)	95.24 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(33)	89.19 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - CENTRAL PROCESSING, LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	South Haven-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	131		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	130		99.24 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			70.23 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	79		84.95 %
ABR	0		0.00 %
DISTORTION PRODUCT	13		13.98 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	92		70.77 %
PASSED	91		97.85 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		1.08 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	38		29.23 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	33		86.84 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	5		13.16 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	40		
TOTAL FOLLOW UP RESULTS RECEIVED **		(36)	90.00 %
MISSING CASES	1		0.76 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	38	(35)	92.11 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1718	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1718	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1710	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1710	99.53 %
PASSED	1678	98.13 %
BILATERAL FAIL	6	0.35 %
FAILED IN LEFT EAR ONLY	16	0.94 %
FAILED IN RIGHT EAR ONLY	10	0.58 %
INCOMPLETE SCREEN REPORTS	8	0.47 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	40		
TOTAL FOLLOW UP RESULTS RECEIVED **		(36)	90.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	26	(24)	92.31 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(7)	87.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH CARE- NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	242		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	242	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		44.21 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	107	99.07 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	107	44.21 %	
PASSED	106	98.15 %	
BILATERAL FAIL	1	0.93 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	135	55.79 %	
EQUIPMENT FAILURE	1	0.74 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	129	95.56 %	
REFUSED	1	0.74 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	3	2.22 %	
DECEASED	1	0.74 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	136		
TOTAL FOLLOW UP RESULTS RECEIVED **		(108)	79.41 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	135	(108)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	100	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	100	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	99	99.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	100	100.00 %
PASSED	100	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH HOSPITAL BIG RAPIDS HOSPITAL, BIG RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	152	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	150	98.68 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	146	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	146	97.33 %
PASSED	143	97.95 %
BILATERAL FAIL	2	1.37 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.68 %
INCOMPLETE SCREEN REPORTS	4	2.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	3	75.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mecosta OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 66.67 %
MISSING CASES	2	1.32 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3) 75.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED MEMORIAL, GREENVILLE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	106	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	105	99.06 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	103	98.10 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	1.90 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	105	100.00 %
PASSED	95	90.48 %
BILATERAL FAIL	4	3.81 %
FAILED IN LEFT EAR ONLY	3	2.86 %
FAILED IN RIGHT EAR ONLY	3	2.86 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	81.82 %
MISSING CASES	1		0.94 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND HOSPITAL, ZEELAND

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	133	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	132	99.25 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	132	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	132	100.00 %
PASSED	131	99.24 %
BILATERAL FAIL	1	0.76 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		0.75 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.51 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	93.94 %
ABR	3	4.55 %
DISTORTION PRODUCT	1	1.52 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	98.51 %
PASSED	64	96.97 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.52 %
FAILED IN RIGHT EAR ONLY	1	1.52 %
INCOMPLETE SCREEN REPORTS	1	1.49 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Francis OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	65	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	56	98.25 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.75 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	57	87.69 %
PASSED	52	91.23 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	3.51 %
FAILED IN RIGHT EAR ONLY	3	5.26 %
INCOMPLETE SCREEN REPORTS	8	12.31 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	62.50 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	25.00 %
DECEASED	1	12.50 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	46.15 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(3)	37.50 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	27	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	27	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	27	100.00 %
PASSED	26	96.30 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.70 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	706	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	705	99.86 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	694	99.14 %
ABR	0	0.00 %
DISTORTION PRODUCT	6	0.86 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	700	99.29 %
PASSED	668	95.43 %
BILATERAL FAIL	3	0.43 %
FAILED IN LEFT EAR ONLY	16	2.29 %
FAILED IN RIGHT EAR ONLY	13	1.86 %
INCOMPLETE SCREEN REPORTS	5	0.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	20.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	20.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. John Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	38	
TOTAL FOLLOW UP RESULTS RECEIVED **		(31) 81.58 %
MISSING CASES	1	0.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(24) 82.76 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4) 80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	274	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	273	99.64 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.27 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	272	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	272	99.63 %
PASSED	248	91.18 %
BILATERAL FAIL	3	1.10 %
FAILED IN LEFT EAR ONLY	14	5.15 %
FAILED IN RIGHT EAR ONLY	7	2.57 %
INCOMPLETE SCREEN REPORTS	1	0.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	26		
TOTAL FOLLOW UP RESULTS RECEIVED **		(23)	88.46 %
MISSING CASES	1		0.36 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(19)	90.48 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL -SCN, WARREN

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	100.00 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	69	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	69	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	89.86 %
PASSED	59	95.16 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	3	4.84 %
INCOMPLETE SCREEN REPORTS	7	10.14 %
EQUIPMENT FAILURE	1	14.29 %
NEWBORN DISCHARGED	2	28.57 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	57.14 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(4)	57.14 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	817	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	817	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.88 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	810	99.26 %
ABR	5	0.61 %
DISTORTION PRODUCT	1	0.12 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	816	99.88 %
PASSED	808	99.02 %
BILATERAL FAIL	3	0.37 %
FAILED IN LEFT EAR ONLY	4	0.49 %
FAILED IN RIGHT EAR ONLY	1	0.12 %
INCOMPLETE SCREEN REPORTS	1	0.12 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	MOSA Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	55.56 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	59	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	57	96.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		88.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	50	96.15 %
ABR	2	3.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	52	91.23 %
PASSED	52	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	8.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	40.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	2	40.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>MOSA AUD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	57.14 %
MISSING CASES	2		3.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	374	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	374	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	4	1.07 %
ABR	0	0.00 %
DISTORTION PRODUCT	370	98.93 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	374	100.00 %
PASSED	340	90.91 %
BILATERAL FAIL	18	4.81 %
FAILED IN LEFT EAR ONLY	8	2.14 %
FAILED IN RIGHT EAR ONLY	8	2.14 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34		
TOTAL FOLLOW UP RESULTS RECEIVED **		(26)	76.47 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	18	(14)	77.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	16	(12)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	27	48.21 %
ABR	0	0.00 %
DISTORTION PRODUCT	29	51.79 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	56	83.58 %
PASSED	56	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	11	16.42 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	54.55 %
REFUSED	1	9.09 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	18.18 %
DECEASED	2	18.18 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Joseph Mercy- Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(9)	81.82 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	206	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	205	99.51 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.03 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	204	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	204	99.51 %
PASSED	202	99.02 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	0.98 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.49 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Mary's Hospital OB-Livonia		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	1		0.49 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL SCN - LIVONIA, LIVONIA

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S HEALTH CARE - GRAND RAPIDS, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	434	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	434	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	426	98.16 %
ABR	6	1.38 %
DISTORTION PRODUCT	2	0.46 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	434	100.00 %
PASSED	417	96.08 %
BILATERAL FAIL	3	0.69 %
FAILED IN LEFT EAR ONLY	8	1.84 %
FAILED IN RIGHT EAR ONLY	6	1.38 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	94.12 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(13)	92.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S MERCY MEDICAL CENTER - NICU, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	41	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	41	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		78.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	32	96.97 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	32	78.05 %
PASSED	31	93.94 %
BILATERAL FAIL	1	3.03 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	21.95 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	8	88.89 %
DECEASED	1	11.11 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	30.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(2)	22.22 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	122	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	121	99.18 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.54 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	119	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	119	98.35 %
PASSED	117	98.32 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	1.68 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	1.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	1		0.82 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	73	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	73	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	66	90.41 %
ABR	5	6.85 %
DISTORTION PRODUCT	2	2.74 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	73	100.00 %
PASSED	70	95.89 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.37 %
FAILED IN RIGHT EAR ONLY	2	2.74 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3	
TOTAL FOLLOW UP RESULTS RECEIVED **	(3)	100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0 0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	54	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	53	98.15 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.30 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.92 %
ABR	0	0.00 %
DISTORTION PRODUCT	51	98.08 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	52	98.11 %
PASSED	52	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.89 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Three Rivers OB Department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		1.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR TOLEDO CHILDREN'S HOSPITAL, TOLEDO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	962		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	961		99.90 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.75 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	949		99.89 %
ABR	1		0.11 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	950		98.86 %
PASSED	889		93.58 %
BILATERAL FAIL	15		1.58 %
FAILED IN LEFT EAR ONLY	24		2.53 %
FAILED IN RIGHT EAR ONLY	22		2.32 %
INCOMPLETE SCREEN REPORTS	11		1.14 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	7		63.64 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	4		36.36 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of MI HS - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	73		
TOTAL FOLLOW UP RESULTS RECEIVED **		(59)	80.82 %
MISSING CASES	1		0.10 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(10)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	46	(41)	89.13 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(8)	72.73 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	100	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	98	98.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		79.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	79	98.75 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	79	80.61 %
PASSED	72	90.00 %
BILATERAL FAIL	5	6.25 %
FAILED IN LEFT EAR ONLY	2	2.50 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	19	19.39 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	13	68.42 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	10.53 %
DECEASED	4	21.05 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28	
TOTAL FOLLOW UP RESULTS RECEIVED **	(19)	67.86 %
MISSING CASES	2	2.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5 (4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2 (2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	19 (13)	68.42 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	MOSA Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	18	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	18	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		5.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	5.56 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	17	94.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	17	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	111.76 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	17	(19)	111.76 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	71	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.41 %
ABR	0	0.00 %
DISTORTION PRODUCT	70	98.59 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	71	100.00 %
PASSED	63	88.73 %
BILATERAL FAIL	2	2.82 %
FAILED IN LEFT EAR ONLY	4	5.63 %
FAILED IN RIGHT EAR ONLY	2	2.82 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing First Inc.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		12.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	12.50 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	87.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	57.14 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	3	42.86 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6)	85.71 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	37	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	37	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	2.70 %
ABR	0	0.00 %
DISTORTION PRODUCT	36	97.30 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	37	100.00 %
PASSED	31	83.78 %
BILATERAL FAIL	2	5.41 %
FAILED IN LEFT EAR ONLY	1	2.70 %
FAILED IN RIGHT EAR ONLY	3	8.11 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	West MI ENT		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO, ROYAL OAK

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1191	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1191	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1189	99.92 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	1	0.08 %
BILATERALLY COMPLETED REPORTS	1190	99.92 %
PASSED	1163	97.73 %
BILATERAL FAIL	5	0.42 %
FAILED IN LEFT EAR ONLY	11	0.92 %
FAILED IN RIGHT EAR ONLY	11	0.92 %
INCOMPLETE SCREEN REPORTS	1	0.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	78.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(17)	77.27 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO - NICU, ROYAL OAK

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	102	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	99.02 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		85.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	98.86 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	87	86.14 %
PASSED	87	98.86 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	14	13.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	7	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	14.29 %
DECEASED	5	35.71 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	40.00 %
MISSING CASES	1		0.98 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(6)	42.86 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY, TROY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	813		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	813	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	813	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	813	100.00 %	
PASSED	793	97.54 %	
BILATERAL FAIL	3	0.37 %	
FAILED IN LEFT EAR ONLY	7	0.86 %	
FAILED IN RIGHT EAR ONLY	10	1.23 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	85.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(15)	88.24 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY - NICU, TROY

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	95	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	95	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.89 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	93	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	93	97.89 %
PASSED	90	96.77 %
BILATERAL FAIL	2	2.15 %
FAILED IN LEFT EAR ONLY	1	1.08 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.11 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WINKLER, CLARICE, LANSING

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Pediatric Center of Jackson		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR WOODARD CPM, KIM, SPRINGFIELD

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	8	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(8)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

NEWBORN SCREENS FROM 04/01/2013 - 06/30/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

** Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
